

Paul
7 May 87
F.F. Mendenhall
Ed
1:29

SVI

2

S.2

D

AI

EI

I

I

Av

Als

fluctuate
waves

Pulse

rythmic

regular

rapid

directional

Als like polarized; out-
placed

Av BK
beam
energy
weapon

Als
DNT - indirectly
shape

bubbles
on
string

target
structure

staccato
sound

voan

sequential
direction

St^{1/2} - method/care of effects on target structure not apparent
to visual perception.

③

52 D A2 E2 T I AOL AG
direction


54/2 direction from which cause of effect comes is side, slightly
up angle, almost parallel to general horizon

Some of
"wiggly"
to course
the course
follows.

AOL Bk
like
lighter
bold in
sky

54/2/AOL/s like 2 components - designator,
and "cause"

AOL Bk
like
laser designator
+ smart missile



SVI
 D AI EJ T I
 object

Smooth
 & rounded
 shiny
 smooth

5-1/2 "Fung shaped," various different shapes, protrusions,
 angles, sub structures, suppt. on "legs"/"protrusions"
 landing gear "like" spring loaded or "bouncy".
 Little internal empty space.

wires
 cables
 circuits
 electronic
 parts
 guiding
 mechanisms
 project by
 controlling
 IFF
 circuits

5-1/2 system operates so rapidly, specially designed
 IFF necessary to prevent accidental destruction
 of friendly/neutral targets.

SUI

5

S2

D

AZ

FI

I

I

ASL

AG

SW $\frac{1}{2}$ part of object capable + necessary of rotation
+ declination etc.

pinion operates

single
inside

protected
controlling

SW $\frac{1}{2}$ "goes with" system/object..

DoL Bk
Belly Gunner
RA B-25

hydraulic
part
hose
couplings
fluid
pressure

SW $\frac{1}{2}$ rapid direction changes

SVI

6
ALS

S2

D

H1

EI

7

self-contained

S4 1/2 but after prolonged use requires replenishment
Severely mobile capabilities.

flexible

fluid
solids

for B1c
like fuel
cell

recharging

substance

sublimation
solid-to-vapor
volatile
hermetic

S4 1/2 unit-for-unit replacement; connecting, disconnecting;
switching; recharging spent unit (very involved process)

slow
operation

sound

S2

D

A2

E1

T

I

arabidg
noise

instantaneous

burning
flashing

like
welding
or
sparkles

very
high

kind
swell

charring
fusing
burning

Spalling

S-1/2 can't say, but is, temuous feel of substance to it.

S-1/2 not always dependable; design "bugs". Mixed blessing.
sometimes fails to function embarrassingly. Usually

Sub-system weakness. So complex that optimum
performance parameters seldom can be determined. Designer
as works to correct shortcomings. But problematic

SVI
AI FI
because of certain physical principle in script: bilitiss.

red
blue
yellow

point
circle



star


for Bk
Script
Flag

Orangeish
red
yellow

black

for inner
border

gold



Side seems to be made of metal, box, rounded, angled, shiny object (examined with wires, ~~base~~ hoses, electrical connections, subsystems + assemblies, and one person; it is supported on legs/outriggers/land by ~~gear~~ gear that is damped/shock absorber equipped. Object has some degree of mobility potential. Seems also to be a major component of a R&D weapons system with unusual characteristics capable of engaging/ targeting at unusual distances. System may possibly be director/targeted/aimed by a secondary "designator" system located separately from main operative component.

1413